

Linear Motor


LA115 LA230

LA230 (iron core)

Model Configuration





Model	Stroke	Motor	Measurement system**
LA230	100	PLM-050-192	
LA230	0100: 100 mm	PLM-050-192	
	...*		
	1500: 1500 mm		

* Stroke = customized stroke ** Will be optimized according to the application



Static Values		
Torque Mx	Nm	1200
Torque My	Nm	1000
Torque Mz	Nm	1200
Force Fx	N	570
Force Fy	N	500
Force Fz	N	800

Dimensions



Basic Specifications

Series LA230-xxxx		
Rated Values		
Travel	[mm]	100 .. 1500
Velocity	[m/s]	2.5
Peak force	[N]	570
Rated force	[N]	300
Resolution / Accuracy		
Positioning resolution ¹⁾	[µm]	0.05 .. 1.0
Position accuracy ¹⁾	[µm/m]	3 .. 20
Repeatability	[µm]	±0.05 .. 1.0
Height error	[µm/m]	<80
Side error	[µm/m]	<20

1) Depends on measurement system

	LA230-0100	LA230-1500
Dimension		
Weight slide	[kg]	15
Weight base	[kg]	20
Weight base	[kg/100mm travel]	6.7
Length L	[mm]	520 1920

Amplifier Specifications

		ECOVARIO 414	ECOBASIC 410
1-phase AC Supply			
Supply voltage	V _{AC}	230	230
Line frequency	Hz	50 .. 60	50 .. 60
Rated power	VA	2200	1000
Interfaces		EtherCAT CANopen PROFIBUS	CANopen



ECOVARIO 414

ECOBASIC 410

Actuator Units

NEW All-in-one-solution

Contact Persons:

Zip-Code 01-06, 08-09, 1, 22-25, 29, 30, 31, 38, 39

Thomas Haugk
Tel.: +49 (0) 3641 63376-903
thomas.haugk@jat-gmbh.de

Zip-Code 26-28, 32-37, 4, 5, 6

Steffen Züge
Tel: +49 (0) 3641 63376-89
steffen.zuege@jat-gmbh.de

Zip-Code 07, 98, 99

Hanno Starker
Tel: +49 (0) 3641 63376-43
hanno.starker@jat-gmbh.de

Zip-Code 7

Manfred Winter
Tel: +49(0) 3641 63376-904
manfred.winter@jat-gmbh.de

Zip-Code 8, 90-97

Marco Schwarz
Tel: +49 (0) 3641 63376-907
marco.schwarz@jat-gmbh.de

